

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:March 2, 2020

Τo,

M/s. Money Magnum Construction& M/s. Vijay Associates Wadhwa

at Plot Bearing New S. No.37/1, 37/2, 37/3, 37/4, 37/5, 37/6, 37/7, 37/8, 37/9, 37/10, 37/11, 37/12, 37/13 - 283-A(old), New S.No. 38/1, 38/2 - 283-B(old), New S.No. 36/1, 36/2A, 36/2B - 146/1, 146/2 (Pt), 146/2(Pt) (old), New S.No. 10/2 - 147/2 (old), New S.No. 27/2A, 27/2B - 163/2 Dhokali, Thane

Environment Clearance for Expansion of residential cum commercial project - K Residence Plot Bearing New S. No. 37/1, 37/2, 37/3, 37/4, 37/5, 37/6, 37/7, 37/8, 37/9, 37/10, 37/11, 37/12, 37/13 - 283-A(old), New S.No. 38/1, 38/2 - 283-B(old), New S.No. 36/1, 36/2A, 36/2B - 146/1, 146/2 (Pt), 146/2(Pt) (old), New S.No. 10/2 - 147/2 (old), New S.No. 27/2A, 27/2B - 163/2, Dhokali, Thane by M/s. Money Magnum Construction& M/s. Vijay Associates Wadhwa

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 126th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 187th meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8(b) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

Expansion of proposed Residential cum commercial Project - K Residence				
TOR				
M/s. Money Magnum Construction& M/s. Vijay Associates Wadhwa				
Enviro Analysts and Engineers Private Limited.				
Residential				
Expansion project				
EC received dated vide letter no. SEAC-2010/CR.584/TC.2 dtd 15.10.2011 for total construction area 3,57,020.65 sq.m ; EC received dated May 14,2018 vide letter no. SEIAA-EC-0000000299 for total construction area of 1,60,849.46 Sq.m.				
Plot Bearing New S. No.37/1, 37/2, 37/3, 37/4, 37/5, 37/6, 37/7, 37/8, 37/9, 37/10, 37/11, 37/12, 37/13 - 283-A(old), New S.No. 38/1, 38/2 - 283-B(old), New S.No. 36/1, 36/2A, 36/2B - 146/1, 146/2 (Pt), 146/2(Pt) (old), New S.No. 10/2 - 147/2 (old), New S.No. 27/2A, 27/2B - 163/2 Dhokali, Thane				
Thane				
Dhokli				
M/s. Money Magnum Constructions & M/s. Vijay Associates Wadhwa				
1301				
13th floor				
Godrej Colesium, A-wing				
Off Eastern Express Highway				
Behind Everard Nagar, Sion East				
Mumbai				

SEIAA Meeting No: 187 Meeting Date: February 7, 2020 (SEIAA-STATEMENT-0000002832) SEIAA-MINUTES-0000003017 SEIAA-EC-0000002164

11.Whether in Corporation / Municipal / other area	Thane Municipal Corporation						
	Approval from TMC						
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: TMC/TDD/22174 dated 21.06.2017						
Approvariation	Approved Built-up Area: 150761.96						
13.Note on the initiated work (If applicable)	Construction work started as per ECs received						
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	Applied for LOI from TMC						
15.Total Plot Area (sq. m.)	90607.52 Sq.m						
16.Deductions	37810.00sq.m.						
17.Net Plot area	52797.52sq.m						
	FSI area (sq. m.): 116762.46 (PLOT A, C :87871.21sq.m, Expansion in Plot A: 28891.25sq.m)						
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): :97107.00 (Plot A, C:73053.09 Sq.m., Expansion in Plot A:24053.91sq.m)						
	Total BUA area (sq. m.): 213869.46						
Z	Approved FSI area (sq. m.): 92953.70						
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 76377.30						
Den	Date of Approval: 21-06-2017						
19.Total ground coverage (m2)	20793.72						
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	39.38 %						
21.Estimated cost of the project	394000000						
H							

SEIAA Meeting No: 187 Meeting Date: February 7, 2020 (SEIAA-STATEMENT-0000002832) SEIAA-MINUTES-0000003017 SEIAA-EC-0000002164



Page 2 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

			22.F	Product	tion Details				
Serial Number	Pro	duct	Existing	(MT/M)	Proposed (MT/M)	Total (MT/M)			
1	Not apj	plicable	Not ap	plicable	Not applicable	Not applicable			
		2	3.Tota	l Wate	r Requiremen	it			
		Source of	water	TMC / STP	recycled water				
		Fresh wate	er (CMD):	1029 KLD (existing:787 KLD, propo	osed: 242 KLD)			
		Recycled w Flushing (517 KLD (6	existing:393 KLD, propos	red: 124 KLD)			
		Recycled w Gardening		67 KLD	HMA				
		Swimming make up (3 KL	Tefr.				
Dry season:	:	Total Wate Requireme :		1616KLD		2			
Fire fighting - Underground wate tank(CMD):		nd water	Proposed bldg.:300 cum Existing bldg.: 150 cum & 300 cum						
	Fire fighting - Overhead water tank(CMD):			Proposed bldg : 60 cum each wing Existing bldg.: 25 cum each wing					
		Excess trea	ated water	582 KLD 19					
		Source of	water	TMC supply	y/STP recycled water/RW	И			
		Fresh wate	er (CMD):	1029 KLD (existing:787 KLD, propo	osed: 242 KLD)			
		Recycled w Flushing (517 KLD (existing:393 KLD, proposed: 124 KLD)					
		Recycled w Gardening		0	1. Jay				
		Swimming make up (3 KL	Mem				
Wet season:		Total Wate Requireme		1549 KLD					
	Fire fightin Undergrou tank(CMD)	nd water	Proposed bldg.:300 cum Existing bldg.: 150 cum						
		Fire fightin Overhead tank(CMD)	water	Proposed bldg : 60 cum each wing Existing bldg.: 25 cum each wing					
		Excess trea	ated water	649 KLD					
Details of S pool (If any		3 KL of mak	te up water						

		2	4.Detail	s of Tota	l water o	consume	d			
Particula rs	Cons	sumption (C	CMD)		Loss (CMD))	Effluent (CMD)			
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
		Level of th water table		0.5 to 3.5 m	ı below grou	nd level				
		Size and ne tank(s) and Quantity:		NA	KOJ-	YL.				
		Location o tank(s):	f the RWH	NAda	Této)		7			
25.Rain		Quantity o pits:	f recharge	Proposed: 3	nos. of rech	narge pit; Ex	isting: 4 nos	. of recharge	pit	
Harvesting (RWH)		Size of rec :	harge pits	Proposed: 2	2m x 2m x 1.	75m, Existin	g: 3.5 m x 3.	5 m x 4 m		
		Budgetary (Capital co	allocation ost) :	Rs.4.47Lakh						
		Budgetary (O & M cos		Rs.0.31Lakh/year						
		Details of if any :	domestic tank: 1029 cum Flushing tank: 517 cum Fire tank: 750 cum							
			113	1	~		<u>y</u>			
26.Storm		Natural wa drainage p		Towards No	orth	All	7			
drainage		Quantity o water:	f storm	9.08 m3/ min						
		Size of SWD:1 no. 450 mm diameter pipe at 1:150 slope								
			_			_		C		
III KLD:		Total sewage: 1413 KLD; Sewage for proposed expansion: 350 KLD								
				MBBR						
27.Sewa	age and	Capacity o (CMD):	f STP	Total capacity:1420 KLD; STP for proposed expansion: 1 no. 350 KLD						
Waste v	0	Location & the STP:	area of	below Ground level						
		Budgetary (Capital co	allocation st):	Rs. 22.00 L	akh					
		Budgetary (O & M cos		Rs. 2.5 Lak	h/year					

	28.Solid waste Management						
Waste generation in the Pre Construction	Waste generation:	Excavated waste material generated will be reused for backfilling and rest shall be disposed by covered trucks to the authorized landfill sites with permission from Municipal authority					
and Construction phase:	Disposal of the construction waste debris:	Will be used for Landscaping					
	Dry waste:	1329 kg/day (Proposed: 880 Kg/Day , Existing: 449 kg/day)					
	Wet waste:	1966 kg/day (Proposed:1293 Kg/Day, Existing: 673 kg/day)					
Waste generation in the operation Phase:	Hazardous waste:	NA					
	Biomedical waste (If applicable):	NA					
	STP Sludge (Dry sludge):	17 kg/day					
	Others if any:	NA					
_	Dry waste:	Shall be handed over to authorized recyclers					
	Wet waste:	Shall be processed in OWC and manure will be used for gardening					
	Hazardous waste:	NA					
Mode of Disposal of waste:	Biomedical waste (If applicable):	NA CRIMA A A A A A A A A A A A A A A A A A A					
	STP Sludge (Dry sludge):	Shall be processed in OWC and manure will be used for gardening					
	Others if any:	NA					
	Location(s):	Ground level					
Area requirement:	Area for the storage of waste & other material:	76.5 sq.m					
	Area for machinery:	8 sq.m					
Budgetary allocation (Capital cost and	Capital cost:	Rs. 18.75 lakhs					
O&M cost):	O & M cost:	Rs.1.6 lakhs/yr					

SEIAA Meeting No: 187 Meeting Date: February 7, 2020 (SEIAA-STATEMENT-0000002832) SEIAA-MINUTES-0000003017 SEIAA-EC-0000002164



Page 5 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

	29.Effluent Charecterestics								
Serial Number	Parameters	Unit			Effluent discharge standards (MPCB)				
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
Amount of e (CMD):	effluent generation	Not applicable							
Capacity of	the ETP:	Not applicable							
Amount of t recycled :	reated effluent	Not applicable							
Amount of v	water send to the CETP:	Not applicable							
Membershi	p of CETP (if require):	Not applicable							
Note on ET	P technology to be used	Not applicable							
Disposal of	the ETP sludge	Not applicable							



SEIAA Meeting No: 187 Meeting Date: February 7, 2020 (SEIAA-STATEMENT-0000002832) SEIAA-MINUTES-0000003017 SEIAA-EC-0000002164



Page 6 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

Number	pplicable	Cat Not	UOM	Exis	ting	Deres and			
1 Not aj	pplicable	Not			ung	g Proposed Total		Method of Disposa	
		applicable	Not applicable	N appli		Not applicable	Not applicable		Not applicable
		31.St	acks em	issio	n D	etails			
Serial Number Section	Section & units		Fuel Used with Quantity		k No.	Height from ground level (m)	Internal diameter (m)		Temp. of Exhaust Gases
1 Not aj	pplicable	Not apj	plicable	N appli	ot cable	Not applicable	No applic		Not applicable
		32.De	tails of H	⁷ uel	to be	e used		•	
Serial Number Ty	pe of Fuel	SS -	Existing	र्धि	507	Proposed	7		Total
1 No	t applicable		Not applicabl	le	N	lot applicabl	e		Not applicable
33.Source of Fuel	45	Not a	pplicable	E		19:1	24		
34.Mode of Transporta	tion of fuel to	site Not a	pplicable			A		2	
	H	K N	. 0 \$	20		1 3	E		
	\sim	ų	35.EI	nero	IV	4	F	2	
	Source of supply :	power	MSEDCL			<u>ل</u> ة	E	-	
During Construction Phase: (Demand Load)			97 kW						
	DG set as Power back-up during construction phase During Operation phase (Connected load):		50 kVA						
Dowor			15100.88 kW (Proposed:2667.72 kW, Existing: 7233.16 kW)						
requirement:	Power requirement: During Operation phase (Demand load):			8123.17 kW (Proposed:1775.15 kW, Existing: 3298.02 kW)					
	Transform	ier:	Proposed: 4 X 630 KVA & Existing: 3 X 1000 kVA 7 1 X 5548 kVA					7 1 X 5548 kVA	
	DG set as Power back-up during operation phase:			Proposed: 2 nos. x 200 KVA , Existing: 3 X 625					
	Fuel used		HSD						
Details of high tension line passing through the plot if any:									
	Ener	gy saving	J by non-	-con	vent	ional me	thod		
Use of solar water hea									
	3	6.Detail	calculati	ions	& %	of savin	g:		
Serial Number	Energy Cons							ving	%
1	Overall	energy savir	ıg				1	6.6%	

SEIAA Meeting No: 187 Meeting Date: February 7, 2020 (SEIAA- STATEMENT-0000002832)		- Con-
SEIAA-MINUTES-0000003017 SEIAA-EC-0000002164	Page 7 of 13	Shri. Anil Diggikar (Member Secretary SEIAA)

		37	Details of J	pollution o	ontrol S	ystems				
Source	Ex	isting poll	ution control sys	stem	Proposed to be installed					
Not applicable		Not	applicable		Not applicable					
	allocation	Capital co	st: Rs.	Rs. 71.5 lakh						
(Capital O&M		0 & M cos	st: Rs.	1.9 Lakh/year						
38	.Envir	onmen	tal Manag	jement	plan B	udgetary	Alloca	ation		
		a)	Constructio	on phase (with Bre	ak-up):				
Serial Number	Attri	butes	Paramete	er	Total	Cost per annu	m (Rs. In I	Lacs)		
1	А	ir	Water for D Suppressio		DHO)	Z. 2				
2	E	HS	Site Sanitat	ion	070	2				
3		nmental toring	Environmen Monitorin		0. V.J	6				
4	El	HS 🕥		Disinfection 1.5						
5	El	HS X	Health Chec		Á	3.6				
		5 k	o) Operation	Phase (w	ith Brea	k-up):	7			
Serial Number	Component		Descriptio	Description Capital cost Rs. Lacs			In Operational and Maintenance cost (Rs. in Lacs/yr)			
1	Water co	nservation	Rain water har	ter harvesting 4.47			0.31			
2	Wastewater management		Sewage treat plant	Sewage treatment 22.00			2.5			
3	Energy co	nservation	Energy sav parameter		71.5		1.9			
4		waste gement	Organic wa converte		18.75		1.6			
5	Land Env	vironment	Landscap	e	20		1			
39.S	torage	of che	micals (ii Su	nflamab ubstance	-	osive/ha	zardou	s/toxic		
		uu	VEI		Maximum Quantity	πι				
Descri	ption	Status		Storage Capacity in MT	of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportatio		
Not app	licable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicabl		
		-	40.4	Other Info				1		

	CRZ/ RRZ clearance btain, if any:	NA
P C ai ai	Distance from Protected Areas / Critically Polluted reas / Eco-sensitive reas/ inter-State boundaries	Sanjay Gandhi National Park (3 km)
S	Category as per chedule of EIA Notification sheet	8(b)
	Court cases pending f any	NA
	Other Relevant	NA
SI	Iave you previously ubmitted opplication online on MOEF Website.	No a a la sa
	Date of online ubmission	

3. The proposal has been considered by SEIAA in its 187th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:	
Ι	PP to upload the revised architect certificate
п	Architect certificate addressing to committee regarding building wise construction (Configuration, FSI, NoN-FSI, TBUA) approved in earlier EC, approvals from local Authority, actual construction done and proposed expansion. PP to provide Fire hydrants on internal passages between the 3 wings along with necessary equipment on top of the podium and separate stair case which go direct to the podium for fire man, beside conditions laid in CFO NoC dated 1/4/2019.
III	PP to upload the sewer remark. The planning authority to ensure that no occupation certificate is given to the Project till surplus discharge from STP of the Project is connected to duly developed and commissioned sewage disposal system of local planning authority.
IV	PP to ensure that SWD network within project should be open except crossing.
V	PP to upload the compliance report submitted to the Ro, Nagpur.
VI	The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC.
VII	PP to submit CER prescribed by MoEF&CC circular dated 1.5.2018 relevant to the area and people around the project. The specific activities to be undertaken under CER to be carried out in consultation with Municipal Corporation or collector or Environment Department.
VIII	PP to ensure that CER plan gets approved from Municipal Commissioner/District Collector.
IX	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
X	SEIAA decided to grant EC for - FSI:131327.63 m2, Non-FSI: 121686.87 m2 and Total BUA: 244014.50 m2 (Plan Approval no-211/211, Date- 01.04.2019, 214/17 Date- 17.04.2017, 27, Date- 21.06.2017)

General Conditions:

Г

Ι	E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
п	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

SEIAA Meeting No: 187 Meeting Date: February 7, 2020 (SEIAA- STATEMENT-0000002832) SEIAA-MINUTES-0000003017 SEIAA-EC-0000002164	Page 9 of 13	Shri. Anil Diggikar (Member Secretary SEIAA)
--------------------------------------------------------------------------------------------------------------------------------------------	--------------	-------------------------------------------------

IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
IV	
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line.Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line.Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.

SEIAA Meeting No: 187 Meeting Date: February 7, 2020 (SEIAA- STATEMENT-0000002832)	
SEIAA-MINUTES-0000003017	Pa
SEIAA-EC-0000002164	



age 10 of Shri. Anil Diggikar (Member Secretary 13 SEIAA)

XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.

En. Page 11 of
13Shri. Anil Diggikar (Member Secretary
SEIAA)

XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



SEIAA Meeting No: 187 Meeting Date: February 7, 2020 (SEIAA-STATEMENT-0000002832) SEIAA-MINUTES-0000003017 SEIAA-EC-0000002164



Page 12 of Shri. Anil Diggikar (Member Secretary 13 SEIAA) 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune),New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- **5.** SECRETARY MOEF & CC
- **6.** IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- 9. MUNICIPAL COMMISSIONER THANE
- **10.** REGIONAL OFFICE MPCB THANE
- **11.** REGIONAL OFFICE MIDC AMBERNATH
- 12. REGIONAL OFFICE MIDC THANE
- 13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- **14.** COLLECTOR OFFICE THANE

